T W				
L Number	Hits	Search Text	DB	Time stamp
		(map\$5 near3 control) with stack with (program adj counter)	USPAT;	2002/08/22 10:15
		(program adj counter)	US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
-		(US-5668999-\$).did.	USPAT	2002/08/26 08:04
i -	1		USPAT	2002/08/22 11:10
		counter) and (control or path or flow) and		
_		bytecode		
1		((US-5668999-\$).did.) and (stack with counter) and (control or path or flow) and	USPAT	2002/08/22 10:25
		bytecode and start and (destination or		
İ		finish)		
-	0	((US-5668999-\$).did.) and (stack with	USPAT	2002/08/22 10:26
ł	1	counter) and (control or path or flow) and		23120
	_	bytecode and map		
-	5	map\$5 near3 stack with (program near2	USPAT;	2002/08/22 11:12
		counter)	US-PGPUB;	
			EPO; JPO;	1
			DERWENT; IBM TDB	
-	2	(map\$5 near3 stack with (program near2	USPAT:	2002/08/22 11:12
		counter)) and @ad<=19980629	US-PGPUB;	2002/06/22 11:12
			EPO; JPO;	1
			DERWENT;	
		/NO 5660000 A	IBM_TDB	
1 -	2 2		USPAT	2002/08/22 11:13
		((US-5668999-\$ or US-6047125-\$).did.) and bytecode and (control or flow)	USPAT	2002/08/22 11:21
_	2		USPAT	2002/08/22 11 22
1		bytecode and (control or flow)) and stack	USFAI	2002/08/22 11:28
-	1	((((US-5668999-\$ or US-6047125-\$),did.)	USPAT	2002/08/22 11:29
		and bytecode and (control or flow)) and		, 2002, 00, 22 11.23
1		stack) and (program adj counter)		
1-	2	\-= \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	USPAT	2002/08/23 10:22
-	8 11	stack with map with (program adj counter)	USPAT	2002/08/23 10:23
_	1	stack with map\$ with (program adj counter) (stack with map\$ with (program adj	USPAT	2002/08/23 10:23
	_	counter)) and (6047125.PN. and	USPAT	2002/08/23 10:56
	•	(((((US-5668999-\$ or		
		US-6047125-\$).did.).p64-p127.) and		1
1		bytecode and (control or flow)) and stack)		
		and (program adj counter)))		1
-	1	/ / salizes / strill and /plecode Alth	USPAT	2002/08/23 10:58
-	1	stack) (("6047125").PN.) and (bytecode with stack	HODAG	0000/00/00
	,	with execut\$5)	USPAT	2002/08/23 11:06
-	1		USPAT	2002/08/23 11:07
1		with pointer)	JUL131	2002/00/23 11:0/
-	2	(US-5668999-\$ or US-6047125-\$).did.	USPAT	2002/08/23 13:11
-	0	((US-5668999-\$ or US-6047125-\$).did.) and	USPAT	2002/08/23 13:12
_	_	(linear with bytecode)]
-	0	((US-5668999-\$ or US-6047125-\$).did.) and (linear with first)	USPAT	2002/08/23 13:12
-	2	((US-5668999-\$ or US-6047125-\$).did.) and	HCDAM	0000/00/00 10 1=
		(bytecode with first)	USPAT	2002/08/23 13:15
-	1	((US-5668999-\$ or US-6047125-\$).did.) and	USPAT	2002/08/23 13:16
		(virtual adj stack)	JUINI	2002/00/23 13:16
-	1	((US-5668999-\$ or US-6047125-\$).did.) and	USPAT	2002/08/23 13:17
		((virtual adj stack) same bytecode)	i	
-	1	((US-5668999-\$ or US-6047125-\$).did.) and	USPAT	2002/08/23 13:31
		((virtual adj stack) same bytecode same		
_	0	execut\$5) ((US-5668999-\$ or US-6047125-\$).did.) and		0000 (05 (55
j l		((virtual adj stack) same bytecode same	USPAT	2002/08/23 13:18
]		execut\$5 same path)		
-	0	((US-5668999-\$ or US-6047125-\$).did.) and	USPAT	2002/08/23 13:31
		linear		-002/00/23 13:31

Page 1

		_	_	
-	0	((US-5668999-\$ or US-6047125-\$).did.) and ((interrupt\$4 or delet\$4 or halt\$4 or	USPAT	2002/08/23 13:33
		stop\$4) with (path or control or flow))		
-	427427		USPAT;	2002/08/23 13:35
		stop\$4) with (path or control or flow))	US-PGPUB;	2002/00/23 13:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	,
-	2870		USPAT;	2002/08/23 13:36
		stop\$4) with (path or control or flow)))	US-PGPUB;	
İ		and (record\$4 same process\$4 same (later	EPO; JPO;	
		or future))	DERWENT;	İ
	0.00		IBM_TDB	
-	2180		USPAT;	2002/08/23 15:12
		stop\$4) with (path or control or flow)))	US-PGPUB;	
		and (record\$4 same process\$4 same (later or future))) and @ad<=19980629	EPO; JPO;	
		or lucure))) and ead<=19980629	DERWENT;	
_	1	////interments/ or delets/ or helts/	IBM_TDB	0000/00/00
	1	<pre>(((((interrupt\$4 or delet\$4 or halt\$4 or stop\$4) with (path or control or flow)))</pre>	USPAT;	2002/08/23 13:38
1		and (record\$4 same process\$4 same (later	US-PGPUB;	
		or future))) and @ad<=19980629) and	EPO; JPO; DERWENT;	
		(bytecode with breakpoint with pointer)	IBM TDB	
-	1		USPAT:	2002/08/23 13:38
1		stop\$4) with (path or control or flow)))	US-PGPUB;	2002/00/23 13:38
	1	and (record\$4 same process\$4 same (later	EPO; JPO;	
1		or future))) and @ad<=19980629) and	DERWENT;	
1		(bytecode with breakpoint)	IBM TDB	
-	1	first adj linear adj bytecode	USPAT;	2002/08/23 15:13
			US-PGPUB;	
	}		EPO; JPO;	1
			DERWENT;	
1	1		IBM_TDB	
_	23	first adj bytecode	USPAT;	2002/08/23 15:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	15		IBM_TDB	
-	15	(first adj bytecode) and @ad<=19980629	USPAT;	2002/08/23 15:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	3	first adj bytecode adj sequence	USPAT;	2002/08/26 09:10
		and alreader and pedarate	US-PGPUB;	2002/08/28 09:10
			EPO; JPO;	
1	j i		DERWENT;	
			IBM TDB	
-	3	((process\$5 near3 bytecode) with	USPAT;	2002/08/26 09:20
		(interrupt\$5 or stop\$4)) same (record\$4 or	US-PGPUB;	3.20
		stor\$5)	EPO; JPO;	
1]		DERWENT;	
			IBM_TDB	
-] 4]	(US-5668999-\$ or US-6047125-\$ or	USPAT	2002/08/27 12:00
		US-6098089-\$ or US-6026485-\$).did.		
_	2	((US-5668999-\$ or US-6047125-\$ or	USPAT	2002/08/26 09:22
		US-6098089-\$ or US-6026485-\$).did.) and		
	,	bytecode and process\$5 and record\$5		
_		breakpoint with bytecode with pointer	USPAT;	2002/08/27 12:01
			US-PGPUB;	
			EPO; JPO;	
	[DERWENT;	
_ !	3	breakpoint with bytecode	IBM_TDB	2000/00/00
	, , ,	produporite with pytecode	USPĀT;	2002/08/28 12:59
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	<u> </u>		TOM I UB	

			_	
-	5	determin\$5 with bytecode with pointer	USPAT;	2002/08/28 13:11
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(determin\$5 with bytecode with pointer)	USPAT;	2002/08/28 13:12
		same (chang\$5 or replac\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	5	/110 ECC0000 0 - 170 CO47105 0	IBM_TDB	
	5	(US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or	USPAT	2002/08/28 16:19
		US-5909579-\$).did.		
_	5	((US-5668999-\$ or US-6047125-\$ or	USPAT	2002/00/20 16 02
		US-6098089-\$ or US-6026485-\$ or	USPAT	2002/08/28 16:23
		US-5909579-\$).did.) and bit\$		
_	5		USPAT	2002/08/28 16:30
	_	US-6098089-\$ or US-6026485-\$ or	OSIAI	2002/08/28 16:30
		US-5909579-\$).did.) and ((bit\$7 or byte\$6)		
1		with virtual)		
-	2	1	USPAT	2002/08/28 16:26
		US-6098089-\$ or US-6026485-\$ or		2002,00,20 10.20
	1	US-5909579-\$).did.) and ((bit\$7 or byte\$6)		
		with virtual with encod\$4)		
-	3	((US-5668999-\$ or US-6047125-\$ or	USPAT	2002/08/28 16:57
		US-6098089-\$ or US-6026485-\$ or		
		US-5909579-\$).did.) and (((bit\$7 or		
	_	byte\$6) with virtual) same stack)		
-	4	, , , = = = = = = + = = = = = = = = = =	USPAT	2002/08/28 17:17
	1	US-6098089-\$ or US-6026485-\$ or	ŀ	
		US-5909579-\$).did.) and ((stor\$5 near3		ĺ
<u> </u>	3	(bit\$7 or bytecode)) with stack)		
-	3	(USPAT	2002/08/28 17:18
	İ	US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and (stor\$5 same heap)	İ	
_	5	(US-5668999-\$ or US-6047125-\$ or	110DN F	2002/02/20 12 25
		US-6098089-\$ or US-6026485-\$ or	USPAT	2002/08/29 13:36
		US-5909579-\$).did.		
-	5		USPAT	2002/08/29 14:02
i		US-6098089-\$ or US-6026485-\$ or	301711	2002/00/29 14.02
		US-5909579-\$).did.) and (stack with (bits		
		or bytecode))		
- f	1	(US-5668999-\$).did.	USPAT	2002/08/29 14:01
ļ -	1	((US-5668999-\$).did.) and (stack with	USPAT	2002/08/29 14:02
[i	bytecode)	[
-	1	("6047125").PN.	USPAT	2002/09/01 17:19
-	0	(("6047125").PN.) and (bytecode with flow)	USPAT	2002/09/01 15:56
-	1	(("6047125").PN.) and (bytecode with	USPAT	2002/09/01 16:55
		control)		
-	1	(("6047125").PN.) and (bytecode with	USPAT	2002/09/01 16:55
_	'	stack)	ŀ	
1 _	1	("5668999").PN.	USPAT	2002/09/01 17:00
_	1	(("5668999").PN.) and (bytecode with	USPAT	2002/09/01 17:00
_	1	stack) (("6047125").PN.) and (computer or read\$5	Hann	0000/00/00
ļ l	-	or memory)	USPAT	2002/09/01 17:58
-	0	(("6047125").PN.) and ((computer or read\$5	tic Dam	2002/00/01 12 65
	~	or memory) with intruction)	USPAT	2002/09/01 17:20
-	1	(("6047125").PN.) and (computer or read\$5	USPAT	2002/00/01 17:00
	-	or memory)	OSEMI	2002/09/01 17:20
L				